

Certification: I certify that this Pre-Delivery Inspection has been completed by:

Service Manager (Signature)

Technician (Print Name)

Vehicle Identification Number

Dealer/BAC Code

Remove wristwatches jewelry cell	Stock #_ phones, etc., and cover belt buckles to	Repair Order #
	nent's attention. Inspect, perform, verify proper operation	
		n, assembly, it and routing of the following.
nitial Preparation: Leave door edge protection and other shipping/storage materials on until customer delivery Adjust tires to pressures specified on the Certification/Tire Label. Do NOT relearn the Tire Pressure Monitoring System. Record adjusted results. Temperature:°F °C Tires: LF RF LR RR	Road Test: ODOMETER: Before After Before, during and after this test, check all standard equipment, options and accessories for proper operation, as applicable. Drive on a legal roadway with road conditions permitting. Evaluate the following: Check Automatic Transmission Shift lock control	Special Inspection Items Suspension - Remove the Transit Blocks from the front springs & place them in the molded storage tray with the tow eye hook. Remove the Transit Block sticker from the windshield. Interior - Reprogram the HMI Module (Radio RPO IOS/IO6) with the latest software available. Refer to latest TSB 16-NA-042 for applicable vehicle builds. Interior - Slowly remove the protective film from the Bose speakers, to avoid damaging the speaker grille or emblem. Interior - If equipped with Adaptive Froward Lighting RPO T4F access personalization menu for vehicle settings/lighting and enable this feature.
Spare (if equipped) Install loose shipped parts and all accessories (torque as needed) nterior: Power mirrors (if equipped) Seats, all: Check material, operation and that removable seats are properly secured Seat belts, all: material, operation, routing and latches Displays, gauges, interior and exterior lights Exterior: Doors, locks, all keys/fobs and keyless entry system Check child safety door/window locks are in normal (unlocked) position (if equipped) Fit/Function removable top/panel convertible top (if equipped) Fit/function/retention of parts such as bumpers, moldings, grille, emblems, doors, deck lid, hood, fuel door and cap, tailgate, liftgate and hatches, sunroof (if equipped)	 Check electronic steering column lock (PEPS vehicles only) (if equipped) Remote start (if equipped) Engine Performance: Cold start, idle quality Forward Collision Alert, Front and Rear Parking Assist, Lane Departure Warning, Side Blind Zone Alert, Lane Change Alert, Rear Cross Traffic Alert, Safety Seat Alert, Rear Vision Camera (if equipped) Front and rear HVAC system controls, blower(s), heater, A/C, front defroster and rear defogger Electronic compass for function. Set to correct zone and calibrate (if equipped) Regular and steering wheel controls for radio, CD, MP3, XM, RSA, RSE and NAV (if equipped) Steering wheel − center position Steering for leads, pulls, vibration at idle, vibration while driving Wipers, delay, RainSense and washers, front and rear (if aguipped) 	Interior - Confirm the operation of the USB ports in the center console and in the ICS by connecting a cell phone and confirming that the phone will charge with lightion on. Interior - Place cleaning cloth (from loose shipped parts) in Integrated Center Stack behind the faceplate. Interior - Set the LKA (Lane Keep Assist) button left of the steering column lower IP to the off position. Interior - Remove and discard the red cap on the Performance Data Recorder (PDR) camera that is located in front of the rearview mirror. Exterior - Verify the vehicle is equipped with a front splitter/spoiler. If the vehicle was ordered with RPO R6G (no splitter option) see Pl1531 for instructions on how to order and install a splitter prior to delivery. Trunk - Place the tow eye roadside fuel funnel in the upper right corner of the molded storage bin under the trunk close out panel. Trunk - If equipped with the Y4Q (Track Performance Package) which includes the JIM (Battery, Low Mass) place the Low Mass retaining brackets in the storage bin under the trunk close out panel. Exterior - For special care and handling instructions for Crystal White Frost Matte-Finish Paint (RPO G7V) refer latest TSB 15-NA-034 (if equipped). Final Inspection & Preparation: Perform just prior to delivery. Interior: Remove protective coverings. Clean as required: seats, headliner, kick
Check antenna mast installation	front and rear (if equipped) Brakes for noise, pulls, vibration or	panels, carpets, console, instrument panel moldings and hard trim
Jnder Hood:	shudder at both high and low speeds	☐ Install/secure the floor mat retainers to the
	☐ Unusual wind noise	
Remote hood release, latch and hood safety latch Check condition and charge 12V battery using <i>PDI Mode</i> on the EL-50313 battery tester/charger (Midtronics GR8). Attach print out to repair order. See TSB 03-06-03-004 for additional information. Hoses, lines, cables and wire attachments are free of kinks and clear of any moving/hot parts Hoses, clamps, pipes, fittings, seals, and gaskets for seepage and proper connection Fluid levels: Add as required Jinder Vehicle: Visually inspect underbody; check all fluid systems for leaks Brake/fuel lines secured in clips	 Unusual noise/vibration/squeak/rattle Cruise/adaptive cruise (if equipped) Transfer case operation, all ranges (if equipped) Transmission shifter, clutch, noise, shift smoothness Engine performance: Hot start, idle quality Check for MIL, SES, SVS, and any warning lights OnStar: Verify Hot Spot (if equipped) Verify OnStar indicator light is green Wi-Fi® broadcast check − Press the OnStar "Voice Command" button and say "Wi-Fi® Settings" Using the information on the screen connect a device, using a Wi-Fi® enabled device (e.g. smartphone), verify that you can connect to vehicle's Hot Spot Note: You do not need to press the Blue OnStar button. The Demo message will continue to play during each ignition cycle until a customer purchases the vehicle and an Online Enrollment is submitted by the selling Dealer. 	carpet side retainers (if equipped) Check heated/cooled seats/steering wheel (if equipped) Set NAV to correct region (if required) Exterior wash and dry, preferably by hand or touchless car wash to avoid paint scratches; check for water leaks Check paint finish for dents, dings, chips, scratches, or blemishes. Repair. Reset fuel economy readings Set clock/calendar to local time Using a clean cloth, clean the wiper blades using GM Optikleen windshield washer solvent Thoroughly clean all glass surfaces, use plain water on interior glass Recheck tire pressures (Including spare, if equipped) and 12V battery condition (using EL50313 battery tester/charger PDI Mode) Check Investigate Vehicle History (IVH) for required field actions. All open field actions must be completed prior to vehicle delivery

Date