Vehicle Identification Number

Dealer/BAC Code

		Repair Order #
Remove wristwatches, jewelry, ce	Il phones, etc., and cover belt buckles to	o prevent damage to the vehicle.
Deficiencies must be called to Service Manager	ment's attention. Inspect, perform, verify proper operation	on, assembly, fit and routing of the following.
nitial Preparation:	Road Test:	Special Inspection Items
Leave door edge protection and other	ODOMETER:	□ Note – Verify that both RKE fobs function
shipping/storage materials on until	Before After	correctly. Press the button on the RKE
customer delivery	Before, during and after this test, check all	transmitter to extend & retract the key blade.
Adjust tires to pressures specified on the	standard equipment, options and accessories	□ <u>Interior</u> – Set NAV radio (if equipped) to the
Certification/Tire Label. Do NOT relearn	for proper operation, as applicable.	correct region. NAV map data is loaded into
the Tire Pressure Monitoring System.	Drive on a legal roadway with road conditions	the internal memory hard disc drive from factory.
Record adjusted results.	permitting. Evaluate the following:	☐ Interior – Inspect the foot operated parking
emperature:°F °C	☐ Check Automatic Transmission Shift lock	brake assembly for the presence of the rubber
ires: LF RF LR RR	control	stopper. Refer to latest TSB 16-NA-104.
Spare (if equipped)	☐ Check electronic steering column lock	 <u>Exterior</u> – Install front and rear air dams
Install loose shipped parts and all	(PEPS vehicles only) (if equipped)	shipped with vehicle.
accessories (torque as needed)	Remote start (if equipped)	□ Note – Vehicles in dealer inventory need to
accessories (torque as riceded)	☐ Engine Performance: Cold start, idle	be properly maintained for a quality delivery. Refer to latest TSB 09-00-89-002.
<u>iterior:</u>	quality	☐ Final Inspection & Prep — Hang the Getting
Power mirrors (if equipped)	☐ Forward Collision Alert, Front and Rear	to Know Your Vehicle booklet around the
Seats, all: Check material, operation and	Parking Assist, Lane Departure Warning,	shifter.
that removable seats are properly secured	Side Blind Zone Alert, Lane Change Alert,	☐ Final Inspection & Prep — Due to normal
Seat belts, all: material, operation, routing	Rear Cross Traffic Alert, Safety Seat Alert,	daily & seasonal temperature changes, tire
and latches	Rear Vision Camera (if equipped)	pressures MUST be rechecked at time of
Displays, gauges, interior and exterior	☐ Front and rear HVAC system controls,	delivery. Consult Tire Loading Label Recommended Cold Tire Inflation Pressure.
lights	blower(s), heater, A/C, front defroster and	
xterior:	rear defogger	Final Inspection & Preparation:
Doors, locks, all keys/fobs and keyless	☐ Electronic compass for function. Set to	Perform just prior to delivery.
entry system	correct zone and calibrate (if equipped)	☐ Interior: Remove protective coverings.
Check child safety door/window locks are	 Regular and steering wheel controls for 	Clean as required: seats, headliner, kick
in normal (unlocked) position (if equipped)	radio, CD, MP3, XM, RSA, RSE and NAV	panels, carpets, console, instrument panel
Fit/Function removable top/panel	(if equipped)	moldings and hard trim
convertible top (if equipped)	 Steering wheel – center position 	Install and secure the floor mat retainers to
Fit/function/retention of parts such as	 Steering for leads, pulls, vibration at idle, 	the carpet side retainers (if equipped)
bumpers, moldings, grille, emblems, doors,	vibration while driving	☐ Check heated/cooled seats/steering wheel
deck lid, hood, fuel door and cap, tailgate,	 Wipers, delay, RainSense and washers, 	(if equipped)Set NAV to correct region (if required)
liftgate and hatches, sunroof (if equipped)	front and rear (if equipped)	Exterior wash and dry, preferably by hand
Check antenna mast installation	□ Brakes for noise, pulls, vibration or	or touchless car wash to avoid paint
nder Hood:	shudder at both high and low speeds	scratches; check for water leaks
Remote double pull hood release and	☐ Unusual wind noise	 Check paint finish for dents, dings, chips,
latch	☐ Unusual noise/vibration/squeak/rattle	scratches, or blemishes. Repair.
Check condition and charge 12V battery	☐ Cruise/adaptive cruise (if equipped)	Reset fuel economy readings
using PDI Mode on the EL-50313 battery	☐ Transfer case operation, all ranges (if	☐ Set clock/calendar to local time
tester/charger (Midtronics GR8). Attach	equipped)	☐ Using a clean cloth, clean the wiper blades
print out to repair order. See TSB 03-06-	☐ Transmission shifter, clutch, noise, shift	using GM Optikleen windshield washer
03-004 for additional information.	smoothness	solvent
Hoses, lines, cables and wire attachments	☐ Engine performance: Hot start, idle quality	☐ Thoroughly clean all glass surfaces, use
are free of kinks and clear of any	☐ Check for MIL, SES, SVS, and any	plain water on interior glass
moving/hot parts	warning lights OnStar: Verify Hot Spot (if equipped)	Recheck tire pressures (Including spare, if
Hoses, clamps, pipes, fittings, seals, and	Onstar. Verily Hot Spot (ii equipped)	equipped) and 12V battery condition
gaskets for seepage and proper	 Verify OnStar indicator light is green 	(using EL50313 battery tester/charger PDI
connection	□ Wi-Fi® broadcast check − Press the	Mode)
Fluid levels: Add as required	OnStar "Voice Command" button and say	☐ Check Investigate Vehicle History (IVH) for
nder Vehicle:	"Wi-Fi® Settings"	required field actions. All open field actions
Visually inspect underbody; check all fluid	☐ Using the information on the screen	must be completed prior to vehicle delivery
systems for leaks	connect a device, using a Wi-Fi® enabled	•
Brake/fuel lines secured in clips	device (e.g. smartphone), verify that you	
	can connect to vehicle's Hot Spot	
	Note: You do not need to press the Blue OnStar button. The Demo message will continue to play during each	
	ignition cycle until a customer purchases the vehicle and	
	an Online Enrollment is submitted by the selling Dealer.	

Technician (Print Name)

Service Manager (Signature)

Date

Certification: I certify that this Pre-Delivery Inspection has been completed by: