Vehicle Identification Number

Dealer/BAC Code

Vernote Identification (Maribel	Stock #	Repair Order #
Remove wristwatches, jewelry, cel	Il phones, etc., and cover belt buckles to	
Deficiencies must be called to Service Management's attention. Inspect, perform, verify proper operation, assembly, fit and routing of the following.		
Initial Preparation:	Road Test:	Special Inspection Items
 Leave door edge protection and other 	ODOMETER:	□ Preparation – "Transport Mode On" may display
shipping/storage materials on until	Before After	on the DIC or the red battery light may flash. To
customer delivery	Before, during and after this test, check all	turn the mode off, start the engine, activate
 Adjust tires to pressures specified on the 	standard equipment, options and accessories	hazard flashers, press brake pedal and turn the ignition key to the crank position for 15 seconds.
Certification/Tire Label. Do NOT relearn	for proper operation, as applicable.	□ Initial Prep – Ensure all GM accessories are
the Tire Pressure Monitoring System.	Drive on a legal roadway with road conditions	installed. Examples: cargo lamps, running boards,
Record adjusted results.	permitting. Evaluate the following:	cargo hooks. Refer to accessory installation
Temperature:°F °C	☐ Check Automatic Transmission Shift lock	manual in SI. Interior – Reprogram the HMI Module (Radio
Tires: LF RF LR RR	control	RPO IO5/IO6) with the latest software available.
Spare (if equipped)	 Check electronic steering column lock 	Refer to latest TSB 16-NA-042 for applicable
 Install loose shipped parts and all 	(PEPS vehicles only) (if equipped)	vehicle builds. Interior – Set NAV radio (if equipped to the
accessories (torque as needed)	Remote start (if equipped)	correct region. NAV map data is loaded into the
Interior:	☐ Engine Performance: Cold start, idle	internal memory hard disc drive from factory.
☐ Power mirrors (if equipped)	quality	□ Interior — Place cleaning cloth (from loose
☐ Seats, all: Check material, operation and	☐ Forward Collision Alert, Front and Rear	shipped parts) in Integrated Center Stack behind the faceplate (if equipped). Otherwise, place in
that removable seats are properly secured	Parking Assist, Lane Departure Warning,	glove box.
☐ Seat belts, all: material, operation, routing	Side Blind Zone Alert, Lane Change Alert,	□ Note – Vehicles in dealer inventory need to be
and latches	Rear Cross Traffic Alert, Safety Seat Alert,	properly maintained for a quality delivery. Refer to
 Displays, gauges, interior and exterior 	Rear Vision Camera (if equipped)	latest TSB 09-00-89-002. Exterior – Check operation of power-retractable
lights	Front and rear HVAC system controls,	running side board (if equipped).
Exterior:	blower(s), heater, A/C, front defroster and rear defogger	☐ Final Inspection & Prep — Due to normal daily &
□ Doors, locks, all keys/fobs and keyless	☐ Electronic compass for function. Set to	seasonal temperature changes, tire pressures
entry system	correct zone and calibrate (if equipped)	MUST be rechecked at time of delivery. Consult Tire Loading Label Recommended Cold Tire
☐ Check child safety door/window locks are	□ Regular and steering wheel controls for	Inflation Pressure.
in normal (unlocked) position (if equipped)	radio, CD, MP3, XM, RSA, RSE and NAV	Final Inspection & Preparation:
☐ Fit/Function removable top/panel	(if equipped)	Perform just prior to delivery.
convertible top (if equipped)	☐ Steering wheel – center position	 Interior: Remove protective coverings.
☐ Fit/function/retention of parts such as	 Steering for leads, pulls, vibration at idle, 	Clean as required: seats, headliner, kick
bumpers, moldings, grille, emblems, doors,	vibration while driving	panels, carpets, console, instrument pane
deck lid, hood, fuel door and cap, tailgate,	 Wipers, delay, RainSense and washers, 	moldings and hard trim
liftgate and hatches, sunroof (if equipped)	front and rear (if equipped)	☐ Install/secure the floor mat retainers to the
 Check antenna mast installation 	 Brakes for noise, pulls, vibration or 	carpet side retainers (if equipped)
Under Hood:	shudder at both high and low speeds	☐ Check heated/cooled seats/steering whee
Remote hood release, latch and hood	 Unusual wind noise 	(if equipped)
safety latch	 Unusual noise/vibration/squeak/rattle 	☐ Set NAV to correct region (if required)
 Check condition and charge 12V battery 	 Cruise/adaptive cruise (if equipped) 	 Exterior wash and dry, preferably by hand
using PDI Mode on the EL-50313 battery	☐ Transfer case operation, all ranges (if	or touchless car wash to avoid paint
tester/charger (Midtronics GR8). Attach	equipped)	scratches; check for water leaks
print out to repair order. See TSB 03-06-	☐ Transmission shifter, clutch, noise, shift	☐ Check paint finish for dents, dings, chips,
03-004 for additional information.	smoothness	scratches, or blemishes. Repair.
☐ Hoses, lines, cables and wire attachments	☐ Engine performance: Hot start, idle quality	 Reset fuel economy readings
are free of kinks and clear of any	☐ Check for MIL, SES, SVS, and any	 Set clock/calendar to local time
moving/hot parts	warning lights	 Using a clean cloth, clean the wiper blades
☐ Hoses, clamps, pipes, fittings, seals, and	OnStar: Verify Hot Spot (if equipped)	using GM Optikleen windshield washer
gaskets for seepage and proper	 Verify OnStar indicator light is green 	solvent
connection	□ Wi-Fi® broadcast check – Press the	☐ Thoroughly clean all glass surfaces, use
☐ Fluid levels: Add as required	OnStar "Voice Command" button and say	plain water on interior glass
<u>Under Vehicle:</u>	"Wi-Fi® Settings"	Recheck tire pressures (Including spare, if
□ Visually inspect underbody; check all fluid	☐ Using the information on the screen	equipped) and 12V battery condition
systems for leaks	connect a device, using a Wi-Fi® enabled	(using EL50313 battery tester/charger PD
□ Brake/fuel lines secured in clips	device (e.g. smartphone), verify that you	Mode) □ Check Investigate Vehicle History (IVH) fo
	can connect to vehicle's Hot Spot Note: You do not need to press the Blue OnStar button.	 Check Investigate Vehicle History (IVH) for required field actions. All open field actions
	The Demo message will continue to play during each	must be completed prior to vehicle delivery
	ignition cycle until a customer purchases the vehicle and	made be completed prior to veriliae delivery

Certification: I certify that this Pre-Delivery Inspection has been completed by: Technician (Print Name) Service Manager (Signature) Date

an Online Enrollment is submitted by the selling Dealer.

File With Repair Order

112116 r1.5