

Vehicle Identification Number	Dealer/BAC Code	
	Stock #	Repair Order #
Remove wristwatches, jewelry, cel	I phones, etc., and cover belt buckles to	
Deficiencies must be called to Service Manager	nent's attention. Inspect, perform, verify proper operatio	n, assembly, fit and routing of the following.
Initial Preparation:	Road Test:	Special Inspection Items
□ Leave door edge protection and other shipping/storage materials on until	ODOMETER: Before After	□ Interior – Install floor mats before displaying the vehicle. □ Interior – Leave 2nd and 3rd row bench center
customer delivery Adjust tires to pressures specified on the Certification/Tire Label. Do NOT relearn the Tire Pressure Monitoring System. Record adjusted results.	Before, during and after this test, check all standard equipment, options and accessories for proper operation, as applicable. Drive on a legal roadway with road conditions permitting. Evaluate the following:	seat belts unbuckled. Folding the seat flat with the seat belt buckled could damage the plastic cover on the buckle. Note – Install battery in headphones for the overhead or headrest DVD system & verify
Temperature:°F °C		proper operation (if equipped).
Tires: LF RF LR RR	 Check Automatic Transmission Shift lock control 	□ <u>Under Hood</u> – The power steering system now uses Dex VI. Use Dex VI only if a "top off" is
Spare (if equipped) Install loose shipped parts and all accessories (torque as needed) Interior: Power mirrors (if equipped)	 Check electronic steering column lock (PEPS vehicles only) (if equipped) Remote start (if equipped) Engine Performance: Cold start, idle quality 	required. Engine – Set the dome lamp override and power liftgate switches to ON. Refer to Owner's Manual pages 6-5 & 6-6 and 2-11. Final Inspection & Prep – Do NOT use silicone or wax-based products to clean the interior.
☐ Seats, all: Check material, operation and that removable seats are properly secured	 Forward Collision Alert, Front and Rear Parking Assist, Lane Departure Warning, Side Blind Zone Alert, Lane Change Alert, 	Refer to latest TSB 06-00-89-029 for details. Note – Vehicles in dealer inventory need to be properly maintained for a quality delivery. Refer
 Seat belts, all: material, operation, routing and latches Displays, gauges, interior and exterior 	Rear Cross Traffic Alert, Safety Seat Alert, Rear Vision Camera (if equipped)	to latest TSB 09-00-89-002. Final Inspection & Prep – Due to normal daily & seasonal temperature changes, tire pressures MUST be rechecked at time of delivery. Consult
lights	 Front and rear HVAC system controls, blower(s), heater, A/C, front defroster and 	Tire Loading Label for Recommended Cold Tire
Exterior:	rear defogger	Inflation Pressure.
 Doors, locks, all keys/fobs and keyless entry system Check child safety door/window locks are 	 Electronic compass for function. Set to correct zone and calibrate (if equipped) 	Final Inspection & Preparation: Perform just prior to delivery. ☐ Interior: Remove protective coverings.
in normal (unlocked) position (if equipped) Fit/Function removable top/panel	 Regular and steering wheel controls for radio, CD, MP3, XM, RSA, RSE and NAV (if equipped) 	Clean as required: seats, headliner, kick panels, carpets, console, instrument panel,
convertible top (if equipped) Fit/function/retention of parts such as bumpers, moldings, grille, emblems, doors, deck lid, hood, fuel door and cap, tailgate,	 Steering wheel – center position Steering for leads, pulls, vibration at idle, vibration while driving Wipers, delay, RainSense and washers, 	 moldings and hard trim Install and secure the floor mat retainers to the carpet side retainers (if equipped) Check heated/cooled seats/steering wheel
liftgate and hatches, sunroof (if equipped) Check antenna mast installation	front and rear (if equipped)	(if equipped)Set NAV to correct region (if required)
	 Brakes for noise, pulls, vibration or shudder at both high and low speeds 	☐ Exterior wash and dry. Check for water
Under Hood: ☐ Remote hood release, latch and hood safety latch	 ☐ Unusual wind noise ☐ Unusual noise/vibration/squeak/rattle 	leaks Check paint finish for dents, dings, chips,
☐ Check condition and charge 12V battery using <i>PDI Mode</i> on the EL-50313 battery tester/charger (Midtronics GR8). Attach	 Cruise/adaptive cruise (if equipped) Transfer case operation, all ranges (if equipped) 	scratches, or blemishes. Repair. Reset fuel economy readings Set clock/calendar to local time
print out to repair order. See TSB 03-06- 03-004 for additional information. ☐ Hoses, lines, cables and wire attachments	 Transmission shifter, clutch, noise, shift smoothness Engine performance: Hot start, idle quality 	 Using a clean cloth, clean the wiper blades using GM Optikleen windshield washer fluid, if necessary
are free of kinks and clear of any moving/hot parts	☐ Check for MIL, SES, SVS, and any warning lights	 Thoroughly clean all glass surfaces, use plain water on interior glass
 Hoses, clamps, pipes, fittings, seals, and gaskets for seepage and proper connection 	OnStar: Verify Hot Spot (if equipped) ☐ Verify OnStar indicator light is green ☐ Wi-Fi® broadcast check – Press the	 Recheck tire pressures (Including spare, if equipped) and 12V battery condition (using EL50313 battery tester/charger PDI
□ Fluid levels: Add as required Under Vehicle:	OnStar "Voice Command" button and say "Wi-Fi® Settings"	Mode)□ Check Investigate Vehicle History (IVH) for required field actions. All open field actions
 □ Visually inspect underbody; check all fluid systems for leaks □ Brake/fuel lines secured in clips 	 Using the information on the screen connect a device, using a Wi-Fi® enabled device (e.g. smartphone), verify that you can connect to vehicle's Hot Spot 	must be completed prior to vehicle delivery
	Note: You do not need to press the Blue OnStar button. The Demo message will continue to play during each ignition cycle until a customer purchases the vehicle and an Online Enrollment is submitted by the selling Dealer.	

Certification: I certify that this Pre-Delivery Inspection has been completed by:

Technician (Print Name)

Service Manager (Signature)

File With Repair Order

042517 r1.4